FILE 'CAPLUS' ENTERED AT 16:27:26 ON 04 NOV 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 16:27:26 ON 04 NOV 2005

FILE 'BIOSIS' ENTERED AT 16:27:26 ON 04 NOV 2005 Copyright (c) 2005 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 16:27:26 ON 04 NOV 2005 Copyright (c) 2005 Elsevier B.V. All rights reserved.

FILE 'WPIDS' ENTERED AT 16:27:26 ON 04 NOV 2005 COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'CONFSCI' ENTERED AT 16:27:26 ON 04 NOV 2005 COPYRIGHT (C) 2005 Cambridge Scientific Abstracts (CSA)

FILE 'SCISEARCH' ENTERED AT 16:27:26 ON 04 NOV 2005 Copyright (c) 2005 The Thomson Corporation

FILE 'JICST-EPLUS' ENTERED AT 16:27:26 ON 04 NOV 2005 COPYRIGHT (C) 2005 Japan Science and Technology Agency (JST)

FILE 'JAPIO' ENTERED AT 16:27:26 ON 04 NOV 2005 COPYRIGHT (C) 2005 Japanese Patent Office (JPO) - JAPIO

L1	638	SEA ABB=ON	PLU=ON	"BURNIE J"?/AU		-Author (5)
L2	5935	SEA ABB=ON	PLU=ON	"MATTHEWS R"?/AU		•
		D COST				
L3	370	SEA ABB=ON	PLU=ON	L1 AND L2		
L4	72	SEA ABB=ON	PLU=ON	(L1 OR L2 OR L3)	AND	(CHLAMYDIA OR
		(CHLAMYDIA	OR C) (W)	PNEUMON?)		
L5	20	SEA ABB=ON	PLU=ON	L4 AND ANTIBOD?		
L6	10	DUP REM L5	(10 DUPL	ICATES REMOVED)		

COPYRIGHT 2005 ACS on STN DUPLICATE 1 ANSWER 1 OF 10 CAPLUS L6

ACCESSION NUMBER:

2000:553692 CAPLUS

DOCUMENT NUMBER:

133:145931

TITLE:

1

Protein and DNA sequences of a novel Chlamydia pneumoniae antigen and

the uses in diagnosis and treatment of diseases

associated with Chlamydia infection Burnie, James Peter; Matthews, Ruth

INVENTOR(S):

SOURCE:

Christine

PATENT ASSIGNEE(S):

Neutec Pharma Plc, UK PCT Int. Appl., 35 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent English

LANGUAGE:

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000046359	A2	20000810	WO 2000-GB237	20000128
WO 2000046359	A3	20001207		
W. AE AT AM	זמ ידמ	I. AZ. BA. BI	B. BG. BR. BY. CA. CH.	CN. CR.

Shears 571-272-2528 Searcher

```
CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
             ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
             LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU,
             SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ,
             VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                            CA 2000-2359354
     CA 2359354
                          AA
                                20000810
                                                                   20000128
                                            EP 2000-901235
                          A2
     EP 1149162
                                20011031
                                                                   20000128
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,
             PT, IE, FI
                                20040212
                          A1
                                            US 2003-634914
                                                                   20030806
     US 2004029806
                                            GB 1999-2555
PRIORITY APPLN. INFO.:
                                                                A 19990205
                                            WO 2000-GB237
                                                                   20000128
                                            US 2001-889314
                                                                A1 20011120
```

The invention provides protein and DNA sequences of a novel Chlamydia pneumoniae antigen. The present invention further relates to the uses of the antigens of this invention in treatment, prevention and diagnosis of infection due to Chlamydia pneumoniae and in particular to the prevention and treatment of atherosclerosis, including coronary atherosclerosis, caused by same.

L6 ANSWER 2 OF 10 MEDLINE on STN DUPLICATE 2

ACCESSION NUMBER: 96165059 MEDLINE DOCUMENT NUMBER: PubMed ID: 8568001

TITLE: Immunoblotting in the diagnosis of culture negative

endocarditis caused by streptococci and enterococci.

AUTHOR: Burnie J P; Clark I

CORPORATE SOURCE: Department of Medical Microbiology, Manchester Royal

Infirmary.

SOURCE: Journal of clinical pathology, (1995 Dec) 48 (12)

1130-6.

Journal code: 0376601. ISSN: 0021-9746.

PUB. COUNTRY: ENGLAND: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

1

•,

FILE SEGMENT: Abridged Index Medicus Journals; Priority Journals

ENTRY MONTH: 199603

ENTRY DATE: Entered STN: 19960315

Last Updated on STN: 19960315 Entered Medline: 19960306

AIM--To improve the diagnosis of culture negative endocarditis by diagnosing cases due to streptococci and enterococci. METHODS--Serum samples were immunoblotted against extracts of the commonest streptococci and enterococci. They were selected from patients with a cardiac murmur, persistent pyrexia and at least three negative blood cultures. The presence of patterns of endocarditis species specific antigenic bands was measured and correlated with clinical outcome. RESULTS--Negative serology was found in 28 patients where the diagnosis of endocarditis was rejected or, if proved, staphylococcal, yeast, Gram negative, systemic lupus erythematosus, due to Q fever or Chlamydia psittaci or nonbacterial thrombotic. Positive serology was found in 27 of the 34 patients where the response to antibiotics suggested streptococcal or enterococcal infection. In 22

of these there was objective evidence of endocarditis. Positive serology was also found in three of four further patients with vegetations at necropsy. CONCLUSION--The identification of patterns of antibody response on immunoblotting can be used to make a specific diagnosis of streptococcal or enterococcal endocarditis in the absence of positive blood cultures.

L6 ANSWER 3 OF 10 MEDLINE on STN ACCESSION NUMBER: 95052743 MEDLINE DOCUMENT NUMBER: PubMed ID: 7963626

TITLE: Raised urinary neopterin levels and Chlamydia

trachomatis infection.

AUTHOR: Kelly L; Woodcock J M; Matthews R S; Wise R SOURCE: Journal of infection, (1994 Jul) 29 (1) 110-2.

Journal code: 7908424. ISSN: 0163-4453.

PUB. COUNTRY: ENGLAND: United Kingdom

DOCUMENT TYPE: Letter LANGUAGE: English

``

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199412

ENTRY DATE: Entered STN: 19950110

Last Updated on STN: 19980206 Entered Medline: 19941216

L6 ANSWER 4 OF 10 MEDLINE on STN ACCESSION NUMBER: 93186153 MEDLINE DOCUMENT NUMBER: PubMed ID: 8444482

TITLE: Evaluation of an enzyme-linked immunoassay and

confirmatory test for the detection of

Chlamydia trachomatis in male urine samples.

Matthews R S: Pandit P G: Bonigal S D: Wise

AUTHOR: Matthews R S; Pandit P G; Bonigal S D; Wise

R; Radcliffe K W

CORPORATE SOURCE: Department of Microbiology, Dudley Road Hospital,

Birmingham, UK.

SOURCE: Genitourinary medicine, (1993 Feb) 69 (1) 47-50.

Journal code: 8503853. ISSN: 0266-4348.

PUB. COUNTRY: ENGLAND: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199304

ENTRY DATE: Entered STN: 19930416

Last Updated on STN: 19930416 Entered Medline: 19930406

First pass urine (FPU) samples were compared with urethral swab ABculture from 304 males attending a genitourinary medicine clinic using an enzyme immuno assay (EIA). All of the EIA positive samples were retested by incorporating a novel blocking reagent into the EIA protocol; 101 were positive by culture of which 83 were also positive by FPU EIA, an additional four were detected in FPU only and not by culture; 86 of these 87 were also confirmed positive by the blocking reagent. Discrepant results were evaluated by Syva MicroTrak. sensitivity and specificity of FPU EIA as compared with urethral swab culture was 82.2% (83/101) and 98% (199/203) respectively with positive and negative predictive values of 95.4% (83/87) and 91.7% (199/217). Male urethral swab culture is more sensitive than FPU EIA; however, when culture is not available then FPU offers a reliable non-invasive alternative to swab EIA which may be of enormous benefit in community screening of asymptomatic as well as symptomatic

patients.

3

L6 ANSWER 5 OF 10 EMBASE COPYRIGHT (c) 2005 Elsevier B.V. All rights

reserved on STN

ACCESSION NUMBER: 92041225 EMBASE

DOCUMENT NUMBER: 1992041225

TITLE: Chlamydia pneumoniae (TWAR) in

neonates [1].

AUTHOR: Matthews R.S.; Mohite A.; Addy D.P.; Wise R.

CORPORATE SOURCE: Dudley Road Hospital, Birmingham, United Kingdom

SOURCE: Pediatric Infectious Disease Journal, (1991) Vol. 10,

No. 12, pp. 956-957.

ISSN: 0891-3668 CODEN: PIDJEV

COUNTRY: United States

DOCUMENT TYPE: Journal; Letter

FILE SEGMENT: 004 Microbiology

007 Pediatrics and Pediatric Surgery

030 Pharmacology

037 Drug Literature Index

LANGUAGE: English

ENTRY DATE: Entered STN: 920320

Last Updated on STN: 920320

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L6 ANSWER 6 OF 10 MEDLINE on STN ACCESSION NUMBER: 90363018 MEDLINE DOCUMENT NUMBER: PubMed ID: 1975372

TITLE: Sterile pyuria and Chlamydia trachomatis.

AUTHOR: Matthews R S; Bonigal S D; Wise R

SOURCE: Lancet, (1990 Aug 11) 336 (8711) 385.

Journal code: 2985213R. ISSN: 0140-6736.

PUB. COUNTRY: ENGLAND: United Kingdom

DOCUMENT TYPE: Letter LANGUAGE: English

FILE SEGMENT: Abridged Index Medicus Journals; Priority Journals

ENTRY MONTH: 199010

ENTRY DATE: Entered STN: 19901109

Last Updated on STN: 19950206 Entered Medline: 19901003

L6 ANSWER 7 OF 10 EMBASE COPYRIGHT (c) 2005 Elsevier B.V. All rights

reserved on STN

ACCESSION NUMBER: 91046725 EMBASE

DOCUMENT NUMBER: 1991046725

TITLE: Longer incubation of an amplified enzyme immunoassay

for the detection of Chlamydia trachomatis.

AUTHOR: Arumainayagam J.T.; White D.J.; Matthews R.S.

CORPORATE SOURCE: Department of Genitourinary Medicine, General Hospital,

Steelhouse Lane, Birmingham B4 6NH, United Kingdom

SOURCE: Genitourinary Medicine, (1990) Vol. 66, No. 6, pp.

461-462.

ISSN: 0266-4348 CODEN: GEMEE2

COUNTRY: United Kingdom

DOCUMENT TYPE: Journal; Letter

FILE SEGMENT: 004 Microbiology

010 Obstetrics and Gynecology

026 Immunology, Serology and Transplantation

LANGUAGE: English

ENTRY DATE: Entered STN: 911216

# Last Updated on STN: 911216 DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L6 ANSWER 8 OF 10 MEDLINE on STN DUPLICATE 3

ACCESSION NUMBER: 90296220 MEDLINE DOCUMENT NUMBER: PubMed ID: 2360133

TITLE: Evaluation of a genus-specific monoclonal antibody in an amplified enzyme-linked

immunoassay in the detection of Chlamydia in

urine samples from men.

AUTHOR: Jawad A J; Manuel G; Matthews R; Wise R; Clay

JC

CORPORATE SOURCE: Department of Genitourinary Medicine, General Hospital,

Birmingham, United Kingdom.

SOURCE: Sexually transmitted diseases, (1990 Apr-Jun) 17 (2)

87-9.

Journal code: 7705941. ISSN: 0148-5717.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199008

ENTRY DATE: Entered STN: 19900907

Last Updated on STN: 19900907 Entered Medline: 19900802

In this study, the authors used amplified enzyme-linked immunoassay (IDEIA Chlamydia test) on urine samples of 623 male patients attending a sexually transmitted disease clinic. They compared the results with routine urethral cell culture isolation, which showed a sensitivity and specificity of 72.6% and 98.6%, respectively. The sensitivity was significantly higher (79.7%) in patients with clinical evidence of urethritis as compared with those without such evidence (59%). The use of first-catch, early-morning urine may improve the sensitivity of the test.

L6 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 4

ACCESSION NUMBER: 1988:128335 CAPLUS

DOCUMENT NUMBER: 108:128335

TITLE: Commercially available fluorescein-conjugated

monoclonal antibody for determining the

in vitro activity of antimicrobial agents against

Chlamydia trachomatis

AUTHOR(S): Webberley, J. M.; Matthews, R. S.;

Andrews, J. M.; Wise, R.

CORPORATE SOURCE: Dep. Med. Microbiol., Dudley Road Hosp.,

Birmingham, B18 7QH, UK

SOURCE: European Journal of Clinical Microbiology (1987),

6(5), 587-9

CODEN: EJCMDM; ISSN: 0722-2211

DOCUMENT TYPE: Journal LANGUAGE: English

AB A simple, reproducible method for determining the antibiotic susceptibility of chlamydial isolates is described. Min. inhibitory and lethal concns. (MICs and MLCs) were determined for tetracycline and erythromycin titrated against a recent clin. isolate of C. trachomatis in McCoy cell cultures. A fluorescent antibody stain was more

sensitive than giemsa staining, generally giving 2-fold higher values for both MICs and MLCs.

L6 ANSWER 10 OF 10 EMBASE COPYRIGHT (c) 2005 Elsevier B.V. All rights

reserved on STN

ACCESSION NUMBER: 88080229 EMBASE

DOCUMENT NUMBER:

1988080229

TITLE:

Ŀ

Commercially available fluorescein-conjugated monoclonal antibody for determining the in vitro activity of antimicrobial agents against

Chlamydia trachomatis.

AUTHOR: Webberley J.M.; Matthews R.S.; Andrews J.M.;

Wise R.

CORPORATE SOURCE:

Department of Medical Microbiology, Dudley Road Hospital, Birmingham, B18 7QH, United Kingdom

SOURCE:

European Journal of Clinical Microbiology, (1987) Vol.

6, No. 5, pp. 587-589.

ISSN: 0722-2211 CODEN: EJCMDM

COUNTRY:

Germany

DOCUMENT TYPE:

Journal

FILE SEGMENT:

004 Microbiology

037 Drug Literature Index

LANGUAGE:

English

ENTRY DATE:

Entered STN: 911211

Last Updated on STN: 911211

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

FILE 'HOME' ENTERED AT 16:29:34 ON 04 NOV 2005

#### => d his ful

(FILE 'HOME' ENTERED AT 16:25:20 ON 04 NOV 2005)
DEL HIS Y

FILE 'CAPLUS, MEDLINE, BIOSIS, EMBASE, WPIDS, CONFSCI, SCISEARCH, JICST-EPLUS, JAPIO' ENTERED AT 16:27:26 ON 04 NOV 2005

	OTCOL PEDO	o' overo m	THICHD AT	10.27.20 ON 01 NOV 2000
L1	638	SEA ABB=ON	PLU=ON	"BURNIE J"?/AU
L2	5935	SEA ABB=ON	PLU=ON	"MATTHEWS R"?/AU
		D COST		
L3	370	SEA ABB=ON	PLU=ON	L1 AND L2
L4	72	SEA ABB=ON	PLU=ON	(L1 OR L2 OR L3) AND (CHLAMYDIA OR
		(CHLAMYDIA	OR C) (W)	PNEUMON?)
L5	20	SEA ABB=ON	PLU=ON	L4 AND ANTIBOD?
L6	10	DUP REM L5	(10 DUPL	[CATES REMOVED)
		D 1-10 IBIE	B ABS	

FILE 'HOME' ENTERED AT 16:29:34 ON 04 NOV 2005

#### FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storin of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 4 Nov 2005 VOL 143 ISS 20 FILE LAST UPDATED: 3 Nov 2005 (20051103/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply They are available for your review at:

http://www.cas.org/infopolicy.html

# FILE MEDLINE

FILE LAST UPDATED: 3 NOV 2005 (20051103/UP). FILE COVERS 1950 TO DAT

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/ http://www.nlm.nih.gov/pubs/techbull/nd04/nd04\_mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE BIOSIS
FILE COVERS 1969 TO DATE.
CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT
FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 3 November 2005 (20051103/ED)

FILE RELOADED: 19 October 2003.

FILE EMBASE

FILE COVERS 1974 TO 3 Nov 2005 (20051103/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE WPIDS

FILE LAST UPDATED: 4 NOV 2005 <20051104/UP>
MOST RECENT DERWENT UPDATE: 200571 <200571/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn-international.de/training\_center/patents/stn\_guide.pdf

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE http://thomsonderwent.com/coverage/latestupdates/ <<<

>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
GUIDES, PLEASE VISIT:
http://thomsonderwent.com/support/userguides/ <<<

>>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT

DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX

FIRST VIEW - FILE WPIFV.

FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<

>>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501. PLEASE CHECK:

http://thomsonderwent.com/support/dwpiref/reftools/classification/code FOR DETAILS. <<<

FILE CONFSCI

FILE COVERS 1973 TO 25 May 2005 (20050525/ED)

FILE SCISEARCH

FILE COVERS 1974 TO 3 Nov 2005 (20051103/ED)

SCISEARCH has been reloaded, see HELP RLOAD for details.

FILE JICST-EPLUS

FILE COVERS 1985 TO 24 OCT 2005 (20051024/ED)

THE JICST-EPLUS FILE HAS BEEN RELOADED TO REFLECT THE 1999 CONTROLLED TERM (/CT) THESAURUS RELOAD.

FILE JAPIO

FILE LAST UPDATED: 4 NOV 2005 <20051104/UP>
FILE COVERS APR 1973 TO JUNE 30, 2005

<<< GRAPHIC IMAGES AVAILABLE >>>

FILE HOME